RESULT LIST

Approximately 136 results found in the Worldwide database for: piezoelectric ferroelectric layer in the title or abstract (Results are sorted by date of upload in database)

Heterolayered ferroelectric thin films and methods of forming same

Inventor: WANG JOHN (SG); ZHOU ANTHONY Z (SG); Applicant:

(+1)

EC: **IPC**: B32B9/00

Publication info: **US2005128675** - 2005-06-16

METHOD OF MANUFACTURING PIEZOELECTRIC DEVICE AND FERROELECTRIC DEVICE, DROPLET DISCHARGING HEAD, AND **ELECTRONIC EQUIPMENT**

Inventor: TAKAKUWA ATSUSHI; HIGUCHI AMAMITSU; Applicant: SEIKO EPSON CORP

(+1)

IPC: H01L41/22; B41J2/16; (+6) EC:

Publication info: JP2005135973 - 2005-05-26

Method of forming piezoelectric layer, heating apparatus used in the same, piezoelectric layer, and piezoelectric element

Inventor: YOKOUCHI TOSHIAKI (JP); SUMI KOJI (JP) Applicant: SEIKO EPSON CORP (JP)

IPC: H01L41/04; B32B31/26 EC:

Publication info: US2005109456 - 2005-05-26

Electronic device and electronic apparatus

Inventor: IWASHITA SETSUYA (JP); HIGUCHI Applicant:

TAKAMITSU (JP); (+1)

EC: H03H9/02S2E **IPC:** H01G2/00

Publication info: **US2005096230** - 2005-05-05

METHOD AND DEVICE FOR ADJUSTING RESONANCE FREQUENCY OF ULTRASONIC SENSOR

Inventor: KITADA KOSAKU; AKETO KOUSHI; (+3) Applicant: MATSUSHITA ELECTRIC WORKS LTD

IPC: H04R1/22; G01S7/521; (+6) EC:

Publication info: JP2005051685 - 2005-02-24

Preparation method of high performance lead zirconium titanate thin film

Inventor: CHU JIARU (CN); LU JIAN (CN); (+1) Applicant: UNIV CHINA SCIENCE & TECH (CN)

IPC: C04B35/49; C04B35/491; (+2) EC:

Publication info: CN1513809 - 2004-07-21

ACTUATOR DEVICE, LIQUID JETTING HEAD AND ITS PRODUCTION METHOD, AND LIQUID JETTING DEVICE

Inventor: MURAI MASAMI; MURAMOTO YOSHIYUKI; Applicant: SEIKO EPSON CORP

(+1)

EC: B41J2/14D2; B41J2/16D2; (+6) **IPC:** B41J2/045; B41J2/055; (+7)

Publication info: JP2005035282 - 2005-02-10

Ferroelectric thin film element and its manufacturing method, thin film capacitor and piezoelectric actuator using same

Inventor: KITA HIROYUKI (JP) **Applicant:**

EC: H01L21/02B3B2; H01L41/09; (+1) **IPC:** H01L29/76

Publication info: **US2005040454** - 2005-02-24

9 LIQUID INJECTION HEAD, ITS MANUFACTURING METHOD, AND LIQUID INJECTION APPARATUS

Applicant: SEIKO EPSON CORP Inventor: MURAI MASAMI

IPC: B41J2/045; B41J2/055; (+5) EC:

RESULT LIST

Approximately 59 results found in the Worldwide database for: **piezoelectric ferroelectric** in the title (Results are sorted by date of upload in database)

1 Ferroelectric film, ferroelectric memory, and piezoelectric element

Inventor: KIJIMA TAKESHI (JP); MIYAZAWA HIROMU Applicant: SEIKO EPSON CORP (JP)

(JP); (+1)

EC: C23C18/12 IPC: H01L29/76

Publication info: US2005167712 - 2005-08-04

2 FERROELECTRIC FILM, FERROELECTRIC CAPACITOR, FERROELECTRIC MEMORY, PIEZOELECTRIC DEVICE, SEMICONDUCTOR DEVICE, METHOD FOR MANUFACTURING FERROELECTRIC FILM, AND METHOD FOR MANUFACTURING FERROELECTRIC CAPACITOR

Inventor: KIJIMA TAKESHI (JP); HAMADA YASUAKI Applicant: SEIKO EPSON CORP (JP)

(JP); (+2)

EC: C01G33/00D; C01G35/00D; (+9) IPC: H01B3/12; C01G25/00; (+3)

Publication info: EP1555678 - 2005-07-20

3 METHOD OF FORMING ELECTRODE, PIEZOELECTRIC DEVICE, FERROELECTRIC DEVICE, AND ELECTRONIC EQUIPMENT

Inventor: TAKAKUWA ATSUSHI; HIGUCHI AMAMITSU; Applicant: SEIKO EPSON CORP

(+1)

EC: IPC: H01L21/288; H01L21/28; (+8)

Publication info: JP2005135975 - 2005-05-26

4 METHOD OF FORMING INSULATING FILM, PIEZOELECTRIC DEVICE, FERROELECTRIC DEVICE, AND ELECTRONIC EQUIPMENT

Inventor: TAKAKUWA ATSUSHI; HIGUCHI AMAMITSU; Applicant: SEIKO EPSON CORP

(+1)

EC: IPC: H01L21/316; H01L27/105; (+6)

Publication info: JP2005135974 - 2005-05-26

5 METHOD OF MANUFACTURING PIEZOELECTRIC DEVICE AND FERROELECTRIC DEVICE, DROPLET DISCHARGING HEAD, AND ELECTRONIC EQUIPMENT

Inventor: TAKAKUWA ATSUSHI; HIGUCHI AMAMITSU; Applicant: SEIKO EPSON CORP

(+1)

IPC: H01L41/22; B41J2/16; (+6)

Publication info: JP2005135973 - 2005-05-26

6 Piezoelectric device, liquid jetting head, ferroelectric device, electronic device and methods for manufacturing these devices

Inventor: HIGUCHI TAKAMITSU (JP); IWASHITA Applicant: SEIKO EPSON CORP

SETSUYA (JP); (+5)

EC: IPC: H01L41/047

Publication info: **US2005122005** - 2005-06-09

7 FERROELECTRIC FILM, FERROELECTRIC MEMORY, PIEZOELECTRIC ELEMENT, SEMICONDUCTOR ELEMENT, LIQUID EJECTION HEAD, PRINTER AND PROCESS FOR PRODUCING FERROELECTRIC FILM

Inventor: KIJIMA TAKESHI; HAMADA YASUAKI; (+1) Applicant: SEIKO EPSON CORP

IPC: H01L27/105; B05C5/00; (+8)

Publication info: **JP2005101512** - 2005-04-14

8 FERROELECTRIC THIN FILM AND ITS PRODUCING PROCESS, FERROELECTRIC MEMORY, PIEZOELECTRIC ELEMENT

Inventor: KIJIMA TAKESHI; MIYAZAWA HIROSHI; (+2) Applicant: SEIKO EPSON CORP

EC: C23C30/00; H01L21/316D; (+1) IPC: H01L27/105; B41J2/045; (+13)

[Search Summary]

Results of searching in PCT for:

piezoelectric near layer and ferroelectric near layer: 1 record

Showing record 1 to 1 of 1:

Refine Search

piezoelectric near layer and ferroelectric near layer

Score Title

1. (100) (WO 99/48083) INERTIAL/AUDIO UNIT AND CONSTRUCTION

Search Summary

piezoelectric NEAR layer: 408 occurrences in 211 records. piezoelectric NEAR layer: 408 occurrences in 211 records.

(piezoelectric NEAR layer AND piezoelectric NEAR layer): 211 records.

ferroelectric NEAR layer: 288 occurrences in 145 records.

((piezoelectric NEAR layer AND piezoelectric NEAR layer) AND ferroelectric NEAR

layer): 1 record.

Search Time: 0.95 seconds.



Canadian Intellectual Property Office

Office de la propriété intellectuelle du Canada Canadä

Français Strategis Contact Us

Site Map

Help What's New Search
About Us

Canada Site Registration



CIPO OPIC

CIPO Home

Patents Main Page

PATENTS DATABASE

Search Options

Basic

Number

Boolean

Advanced

Help

Content

Searching

Search Language

FAQ

Disclaimer

Foreign Patent Links

Decisions of the Commissioner of Patents

Trade-marks Database

Copyrights Database

Strategis Index: <u>ABCDEFGHIJKLMNOPQRSTUVWXYZ</u>



Canadian Intellectual Property Office

Canadian Patents Database

Search Results

09/23/2005 - 12:09:14

Search

Query:

((piezoelectric <near> layer <and> feri

Query: ((piezoelectric <near> layer <and> ferroelectric <near> layer))

15 documents out of 1646145 matched your query. Click on its number to view the details of the document.

Note: All document detail pages now appear on a new Browser Window.

1.	2141566	CUBIC METAL OXIDE THIN FILM EPITAXIALLY GROWN ON SILICON	100%
2.	2217472	METHOD AND DEVICE FOR MAKING A THIN LAYER COMPOSITE UNIMORPH FERROELECTRIC DRIVER AND SENSOR	99%
3.	<u>1151285</u>	ACOUSTIC TRANSDUCER WITH A QUARTER WAVELENGTH ADAPTATION LAYER AS A RECEIVER	98%
4.	2218240	MONOMORPH THIN FILM ACTUATED MIRROR ARRAY	97%
5.	2070946	CANTILEVER TYPE DISPLACEMENT ELEMENT, AND SCANNING TUNNELING MICROSCOPE OR INFORMATION PROCESSING APPARATUS USING SAME	97%
6.	2330323	ARRAYS MADE FROM FLEXIBLE TRANSDUCER ELEMENTS	79%
7.	<u>2155523</u>	MONOLITHIC PRESTRESSED CERAMIC DEVICES AND METHOD FOR MAKING SAME	79%
8.	2406684	ULTRASOUND TRANSDUCER ARRAY	76%



Canadian Intellectual Property Office

Office de la propriété intellectuelle du Canada

Canadä

Français

Strategis

Contact Us

Site Map

Help What's New Search About Us Canada Site Registration



CIPO OPIC

CIPO Home

Patents Main Page

PATENTS DATABASE

Search Options

Basic

Number

Boolean

Advanced

Help

Content

Searching

Search Language

FAQ

Disclaimer

Foreign Patent Links

Decisions of the Commissioner of Patents

Trade-marks Database

Copyrights Database

Strategis Index: ABCDEFGHIJKLMNOPQRSTUVWXYZ



Canadian Intellectual Property Office

Canadian Patents Database

Search Results

09/23/2005 - 12:09:14

Search

((piezoelectric <near> layer <and> feri

Query:

Query: ((piezoelectric <near> layer <and> ferroelectric <near> layer))

15 documents out of 1646145 matched your query. Click on its number to view the details of the document.

Note: All document detail pages now appear on a new Browser Window.

1.	2141566	CUBIC METAL OXIDE THIN FILM EPITAXIALLY GROWN ON SILICON	100%
2.	2217472	METHOD AND DEVICE FOR MAKING A THIN LAYER COMPOSITE UNIMORPH FERROELECTRIC DRIVER AND SENSOR	99%
3.	<u>1151285</u>	ACOUSTIC TRANSDUCER WITH A QUARTER WAVELENGTH ADAPTATION LAYER AS A RECEIVER	98%
4.	2218240	MONOMORPH THIN FILM ACTUATED MIRROR ARRAY	97%
5.	2070946	CANTILEVER TYPE DISPLACEMENT ELEMENT, AND SCANNING TUNNELING MICROSCOPE OR INFORMATION PROCESSING APPARATUS USING SAME	97%
6.	2330323	ARRAYS MADE FROM FLEXIBLE TRANSDUCER ELEMENTS	79%
7.	<u>2155523</u>	MONOLITHIC PRESTRESSED CERAMIC DEVICES AND METHOD FOR MAKING SAME	79%
8.	2406684	ULTRASOUND TRANSDUCER ARRAY	76%

	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Comment
1	BRS	L1		0	"2362989".fref.	USPAT	2005/09/2 3 12:00	
2	BRS	L2		О	"2362989".frpn.	USPAT	2005/09/2 3 12:00	
3	BRS	L3		0	"2362989".frpn.	US- PGPUB ; USPAT ; USOCR ; EPO; DERWE NT; IBM_T DB	2005/09/2 3 12:01	
4	BRS	L4		0	"2362989".fref.	US- PGPUB ; USPAT ; USOCR ; EPO; DERWE NT; IBM_T DB	2005/09/2 3 12:01	
5	IS&R	L5	,	2813	(310/317,328,330,358). CCLS.	USPAT	2005/09/2 3 12:03	
6	BRS	L6		143		USPAT	2005/09/2 3 12:10	
7	BRS	L7	,	9		USPAT	2005/09/2 3 12:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment 's
8	BRS	L8		layer"	IH. P() •	2005/09/2 3 12:13	